


POLISHING MACHINES CATALOGUE



RAJHANS
ABRASIVES

Manufacturer & Importer of Coated Abrasives, Non
Woven Products & All kinds of Polishing Machines.

MARCH 2025



Contact Us!



+91 98923 48564 / +91 97023 48564



www.rajhansabrasives.in



**RAJHANS
ABRASIVES**

About Us

Manufacturer & Importer of Coated Abrasives, Non Woven Products & All kinds of Polishing Machines.

We are a leading manufacturer and wholesale supplier of Non Standard premium Coated Abrasives and Non-Woven Polishing Products, including Flap Wheels, Mop Wheels, Abrasive Belts, Combi Wheels, Scotch Brite Polishing Wheels, and more. Serving industries like automotive, agriculture, and refining, we prioritize quality, innovation, and timely delivery.

With state-of-the-art technology and skilled engineers, our products meet industry standards and cater to custom specifications. Strategically located near major ports, we ensure seamless and secure product dispatch. Our robust packaging solutions protect goods during transit, ensuring client satisfaction.




150mm Single Station Flat Polishing Machine with Safety Protection Guard



ABRASIVE BELT DIMENSIONS	150mm*915mm* 1 Belt OR Scotch Brite Wheel
VOLTAGE	THREE PHASE 380V, SINGLE PHASE 220V, OTHER VOLTAGES CAN BE CUSTOMIZED
TRANSFER MOTOR	120w
PROCESSING SPEED	10M/min
OVERALL DIMENSIONS(L*W*H)	62*58*71cm
MACHINE WIDTH	1-150mm
PROCESSING THICKNESS	0.8mm-80mm
SPINDLE SPEED	2800R/min
RUBBER WHEEL DIAMETER	120mm
NET WEIGHT/GROSS WEIGHT	90KG/98KG
PACKAGING METHOD	NON FUMIGATION WOODEN BOX

150mm Double Station flat polishing Machine with Safety Protection Guard

WATCH NOW
RAJHANS ABRASIVES



ABRASIVE BELT DIMENSIONS	150mm*915mm* 2 Belts OR Scotch Brite Wheel
VOLTAGE	THREE PHASE 380V, SINGLE PHASE 220V, OTHER VOLTAGES CAN BE CUSTOMIZED
ABRASIVE BELT MOTOR POWER	2.2KW*2 TOWER
TRANSFER MOTOR	150W
PROCESSING SPEED	10M/MIN
OVERALL DIMENSIONS(L*W*H)	100*58*72CM
MACHINE WIDTH	1-150MM
PROCESSING THICKNESS	0.8 MM - 80 MM
SPINDLE SPEED	2800R/MIN
RUBBER WHEEL DIAMETER	120MM
NET WEIGHT/GROSS WEIGHT	155KG/170KG
PACKAGING METHOD	NON FUMIGATION WOODEN BOX

150mm Three Station Flat Polishing Machine with Safety Protection Guard



RAJHANS ABRASIVES




RAJHANS
ABRASIVES



Before



After



ABRASIVE BELT DIMENSIONS	150mm*915mm* 3 Belts OR Scotch Brite Wheel
VOLTAGE	THREE PHASE 380V, SINGLE PHASE 220V, OTHER VOLTAGES CAN BE CUSTOMIZED
ABRASIVE BELT MOTOR POWER	2.2KW * 3 TOWER
TRANSFER MOTOR	150W
POWER CONSUMPTION UNIT	2.49 UNIT PER HOUR * 3 MOTORS APPROXIMATELY
PROCESSING SPEED	10M/MIN
OVERALL DIMENSIONS(L*W*H)	138*58*72CM
MACHINE WIDTH	1-150MM
PROCESSING THICKNESS	0.8MM-80MM
SPINDLE SPEED	2800R/MIN
RUBBER WHEEL DIAMETER	120MM
NET WEIGHT/GROSS WEIGHT	260KG/285KG
PACKAGING METHOD	NON FUMIGATION WOODEN BOX

150mm Four Station Flat Polishing Machine with Safety Protection Guard



RAJHANS ABRASIVES




RAJHANS
ABRASIVES



Before




After



ABRASIVE BELT DIMENSIONS	150mm*915mm* 4 Belts OR Scotch Brite Wheel
VOLTAGE	THREE PHASE 380V, SINGLE PHASE 220V, OTHER VOLTAGES CAN BE CUSTOMIZED
ABRASIVE BELT MOTOR POWER	2.2KW * 4 TOWER
TRANSFER MOTOR	150W
POWER CONSUMPTION UNIT	2.49 UNIT PER HOUR * 4 MOTORS APPROXIMATELY
PROCESSING SPEED	10M/MIN
OVERALL DIMENSIONS(L*W*H)	138*58*72CM
MACHINE WIDTH	1-150MM
PROCESSING THICKNESS	0.8MM-80MM
SPINDLE SPEED	2800R/MIN
RUBBER WHEEL DIAMETER	120MM
NET WEIGHT/GROSS WEIGHT	260KG/285KG
PACKAGING METHOD	NON FUMIGATION WOODEN BOX


150mm Double Station Flat Polishing Machine with Water Tank



Before



After



ABRASIVE BELT DIMENSIONS	150mm*915mm* 2 Belts OR Scotch Brite Wheel
VOLTAGE	THREE PHASE 380V, SINGLE PHASE 220V, OTHER VOLTAGES CAN BE CUSTOMIZED
ABRASIVE BELT MOTOR POWER	2.2KW * 2 TOWER
POWER CONSUMPTION UNIT	2.49 UNIT PER HOUR * 2 MOTORS
TRANSFER MOTOR	150W
PROCESSING SPEED	10M/MIN
OVERALL DIMENSIONS(L*W*H)	138*58*72CM
MACHINE WIDTH	1-150MM
PROCESSING THICKNESS	0.8MM-80MM
SPINDLE SPEED	2800R/MIN
RUBBER WHEEL DIAMETER	120MM
NET WEIGHT/GROSS WEIGHT	260KG/285KG
PACKAGING METHOD	NON FUMIGATION WOODEN BOX

400mm Double Station (2 Belts) Polishing Machine

Not Actual Image



Main Motor power	5.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	Polishing length is not limited 400mm
Belt Size	1560* 400mm* 2 Belts
Overall Dimensions	1150*750*1750mm
Net weight	385kg
Lift Platform	Non fumigation wooden box

Polishing effect display

Fine polishing/rust removal sanding/deburring

Steel

Copper plate

Board

Marble

400mm Double Station (1 Belt & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Main Motor power	5.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	400mm Polishing length is not limited
Belt Size	1560* 400mm* 1 Belt and 1 Scotch Brite Roller
Overall Dimensions	1150*750*1750mm
Net weight	385kg
Lift Platform	Non fumigation wooden box


Polishing effect display




Fine polishing/rust removal sanding/deburring




Steel



Copper plate



Board



Marble

400mm Three Station (2 Belts & 1 Scotch Brite Roller) Polishing Machine





RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Main Motor power	5.5kw / 7.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	400mm Polishing length is not limited
Belt Size	1560* 400mm* 2 Belts and 1 Scotch Brite Roller
Overall Dimensions	1150*750*1750mm
Net weight	385kg
Lift Platform	Non fumigation wooden box



400mm Three Station (3 Belts) Polishing Machine



Main Motor power	5.5kw / 7.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	400mm Polishing length is not limited
Belt Size	1560* 400mm* 3 Belts
Overall Dimensions	1150*750*1750mm
Net weight	385kg
Lift Platform	Non fumigation wooden box


Polishing effect display




Fine polishing/rust removal sanding/deburring




Steel



Copper plate



Board



Marble

600mm Double Station (2 Belts) Polishing Machine



RAJHANS ABRASIVES



Before



After



Main Motor power	7.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	600mm
Belt Size	600*1560mm*2 Belts
Overall dimensions	1150*950*1750mm
Net weight	470kg
Llift Platform	Non fumigation wooden box

Polishing length is not limited

Can be equipped with a wire drawing roller


600mm Double Station (1 Belt & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Before



After



Main Motor power	7.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	600mm
Belt Size	600*1560mm*1 Belt and 130*600mm*1 Scotch Brite Roller.
Overall dimensions	1150*950*1750mm
Net weight	470kg
Llift Platform	Non fumigation wooden box

Polishing length is not limited

Can be equipped with a wire drawing roller

600mm Three Station (2 Belts & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Before



After



Main Motor power	7.5kw
Traveling motor power	0.5kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	600mm
Belt Size	600*1560mm*2 Belts and 130*600mm *1 Scotch Brite Roller.
Overall dimensions	1150*950*1750mm
Net weight	470kg
Lift Platform	Non fumigation wooden box

Polishing length is
not limited

Can be equipped with
a wire drawing roller

600mm Three Station (3 Belts) Polishing Machine



RAJHANS ABRASIVES



Before



After



Main Motor power	7.5kw + 5.5kw
Traveling motor power	0.55kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	600mm
Belt Size	1560*580mm*3 Belts
Overall dimensions	1450*950*1750mm
Net weight	580kg
Lift Platform	Non fumigation wooden box

Polishing length is not limited

Can be equipped with a wire drawing roller

Package size
1220*970*1800mm

800mm Double Station (2 Belts) Polishing Machine



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	800mm
Belt Size	1560*800mm*2 Belts
Overall dimensions	1400*1160*1750mm
Net weight	700kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

800mm Double Station (1 Belt & 1 Scotch Brite Roller) Polishing Machine



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	800mm
Belt Size	1560*800mm*1 Belt and 1 Scotch Brite Roller
Overall dimensions	1400*1160*1750mm
Net weight	700kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

800mm Three Station (2 Belts & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Stainless steel



Wood polishing



Surface Treatment



Steel polishing

Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	800mm
Belt Size	1560*800mm*2 Belts and 1 Scotch Brite Roller
Overall dimensions	1400*1160*1750mm
Net weight	700kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

800mm Three Station (3 Belts) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Stainless steel



Wood polishing



Surface Treatment



Steel polishing

Main motor power	7.5kw*3
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	800mm
Belt Size	1560*800mm*3 Belts
Overall dimensions	1700*1160*1750mm
Net weight	710kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1000mm Double Station (2 Belts) Polishing Machine



RAJHANS ABRASIVES



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1000mm
Belt Size	1560*1000mm* 2 Belts
Overall dimensions	1500*1400*1750mm
Net weight	800kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1000mm Double Station (1 Belt & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1000mm
Belt Size	1560*1000mm* 1 Belt and 1 Scotch Brite Roller
Overall dimensions	1500*1400*1750mm
Net weight	800kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1000mm Three Station (2 Belts & 1 Scotch Brite Roller) Polishing Machine

WATCH NOW
RAJHANS ABRASIVES



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1000mm
Belt Size	1560*1000mm* 2 Belts and 1 Scotch Brite Roller
Overall dimensions	1500*1400*1750mm
Net weight	800kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1000mm Three Station (3 Belts) Polishing Machine



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1000mm
Belt Size	1560*1000mm* 3 Belts
Overall dimensions	1500*1400*1750mm
Net weight	800kg
Lift platform	Non fumigation wooden box


customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1300mm Double Station (2 Belts) Polishing Machine



Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1300mm
Belt Size	1560*1300mm* 2 Belts
Overall dimensions	1500*1600*1750mm
Net weight	900kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1300mm Double Station (1 Belt & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Stainless steel



Wood polishing



Surface Treatment



Steel polishing

Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1300mm
Belt Size	1560*1300mm* 1 Belt and 1 Scotch Brite Roller
Overall dimensions	1500*1600*1750mm
Net weight	900kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1300mm Three Station (2 Belts & 1 Scotch Brite Roller) Polishing Machine



RAJHANS ABRASIVES



Stainless steel



Wood polishing



Surface Treatment



Steel polishing

Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1300mm
Belt Size	1560*1300mm* 2 Belts and 1 Scotch Brite Roller
Overall dimensions	1500*1600*1750mm
Net weight	900kg
Lift platform	Non fumigation wooden box

customizable

customizable

Polishing length is not limited

Can be equipped with a wire drawing roller

1300mm Three Station (3 Belts) Polishing Machine



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Stainless steel



Wood polishing



Surface Treatment



Steel polishing

Main motor power	7.5kw*2
Traveling motor power	0.75kw
Equipment voltage	380v 50Hz
Thickness processing range	0.8-110mm
Max. Machine Width	1300mm
Belt Size	1560*1300mm* 3 Belts
Overall dimensions	1500*1600*1750mm
Net weight	900kg
Lift platform	Non fumigation wooden box

customizable

customizable


Polishing length is not limited

Can be equipped with a wire drawing roller

Metal Mirror Polishing Machine



RAJHANS ABRASIVES



MODEL NO: AJ460

Overall dimensions of equipment	1500×1100×1600 mm
Workpiece thickness	1–90mm
Equipment weight	630 kg
Work table height	880 mm
Work table size	460mm Width, 630mm Length
Equipment power supply	AC 380 V, 50 Hz (Three-phase five-wire system)
Main motor	380 V / 5.5 kw
Controller	Dedicated controller + touch screen
Motor speed	1430 rpm
Polishing consumables	Sandpaper, nylon wheel, cloth wheel, hemp wheel

Bend Pipe / Elbow Pipe polishing machine (Up to Ø80mm)



RAJHANS ABRASIVES



RAJHANS
ABRASIVES



Wire drawing and polishing



Mirror polishing



Aluminum tube polishing



Irregular polishing

Main motor power	3kw
Equipment voltage	380v
Specification	700mm * 570mm * 1100mm
Product Use	Bend polishing machine mainly for iron, stainless steel, Aluminum, Alloy and other Metal bend pipe surface Rust Sand, Deburring, Wire Drawing treatment

Before



After




Bend Pipe / Elbow Pipe polishing machine (Up to Ø 120mm)

 **WATCH NOW**
AJ ABRASIVES



Main motor power	3kw
Equipment voltage	380v
Specification	700mm * 570mm * 1100mm
Product Use	Bend polishing machine mainly for iron, stainless steel, Aluminum, Alloy and other Metal bend pipe surface Rust Sand, Deburring, Wire Drawing treatment



Wire Coil / Bend Pipe Polishing Machine



RAJHANS ABRASIVES



Abrasive Belt Dimensions	762*25mm
Voltage	Three phase 380V, other voltages can be customized
Abrasive belt motor power	3.0 KW*2
Product Crimping Motor	260W
Machining Diameter	3-15mm adjustable Other sizes can be customized The maximum diameter does not exceed 150 mm
Spindle Speed	Variable frequency speed regulation
Net weight/gross weight	290KG/330KG
Overall Dimensions(L*W*H)	79*75*122
Packaging Method	Non fumigation wooden box

Usage method:

Place the product on the rotating table

2. Manually wind one end of the product into the guide wheel all the way to the coiling disk.

3. Start the machine, start the coiling disk and carry out polishing

4. After the entire roll of products is polished, turn off the machine and repeat the operation in a cycle

Outer Circle Polishing Machine (Up to Ø 80mm)



RAJHANS ABRASIVES



Before polishing




After polishing



Overall Dimention	930 * 800 * 900	Working Length	No Limit
Main motor power	3kw	Speed Regulating Motor	400w
Weight	180kg	Total Power	3.4kw
Voltage	380v	Processing Speed	0-12m/min
Machine Diameter	3 -80mm	No Load Speed	1400r/min



iron



copper




aluminum



alloy



stainless steel



copper



Outer Circle Polishing Machine with Abrasives Belt and Wheel & Multi Head (Up to $\varnothing$ 80mm)



RAJHANS ABRASIVES




Before polishing



After polishing



Overall Dimention	930 * 800 * 900	Working Length	No Limit
Main motor power	3kw	Speed Regulating Motor	400w
Weight	180kg	Total Power	3.4kw
Voltage	380v	Processing Speed	0-12m/min
Machine Diameter	3 - 80mm	No Load Speed	2800r/min



80mm pipe polishing machine with Safety Cover



RAJHANS ABRASIVES



Before polishing




After polishing



Overall Dimention	930 * 800 * 900	Working Length	No Limit
Main motor power	3kw	Speed Regulating Motor	400w
Weight	180kg	Total Power	3.4kw
Voltage	380v	Processing Speed	0-12m/min
Machine Diameter	3 - 80mm	No Load Speed	2800r/min



iron



copper




aluminum



alloy



stainless steel



copper

Outer Circle Polishing Machine (Up to Ø180mm)



RAJHANS ABRASIVES

Rust Removal and Polishing Integrated Machine

Round Pipe / Round Steel / Stainless
Steel Pipe / Metal Pipe



Model	Model FD - 180	Voltage	380v
Main motor power	3/4kw Pure copper motor	Crane Motor	Speed up the motor
Polish Wheel Diameter	250 / 300mm	Cylinder RPM	Adjustable
Working Diameter	20mm-180mm	Processing Length	Unlimited
Process Speed	3-8 m / min	Weight	220kg
Shape Size	1000*1100*1100	Dust Removal	

Before polishing



After polishing



iron




copper



aluminum



stainless steel



copper

Outer Circle Polishing Machine (Up to $\varnothing$ 220mm)



RAJHANS ABRASIVES



iron




copper



aluminum



stainless steel



copper

Model	Model FD - 220	Voltage	380v
Main motor power	3/4kw Pure copper motor	Crane Motor	Speed up the motor
Polish Wheel Diameter	250 / 300mm	Cylinder RPM	Adjustable
Working Diameter	30mm-220mm	Processing Length	Unlimited
Process Speed	3-8 m / min	Weight	220kg
Shape Size	1000*1100*1100	Dust Removal	

Before polishing



After polishing



Buff wheel

Various polishing wheels can be installed to process different workpieces



nylon wheel



cloth wheel



Abrasive mops-wheel



cloth wheel



Fiber wheel



wire wheel

R Angle / Corner Grinder Machine



Work platform	800mm*400mm
Motor power	2.2KW
Platform Angle	Adjustable
Equipment power supply	Three-phase - four-wire 380V
Starting mode	Electric box control one key start
Overall dimension	180*80*125cm



**RAJHANS
ABRASIVES**




45° & 90° Pneumatic Lifting Cutting Machine



RAJHANS ABRASIVES



Working Voltage	380v
Motor Power	1.5KW
Spindle Speed	2800R/min
Saw Blade Size	$\varnothing$ 305*25.4*3.0*120T $\varnothing$ 355*25.4*3.2*120T
45° Max Cutting Height/Width	60mm/110mm (305mm) 80mm/130mm (355mm)
90° Max Cutting Height/Width	60mm/140mm (305mm) 80mm/160mm (355mm)
Overall Dimension	720*680*930mm
Total Weight	150kg



Heavy duty L Angle / Square Sides Metal Polishing Machine



RAJHANS ABRASIVES




Overall dimensions	1800mm × 1600mm × 1400mm
Total motor power	12.75KW
Grinding head motor	3KW
Guide wheel motor	0.75KW
Feeding speed	Adjustable 0–30 m/min
Guide wheel speed	Adjustable 0–200 RPM
Grinding head speed	2800 RPM
Processing width	Within 100mm
Processing length	Within 100mm
Polishing wheel size	250mm × 32mm × 80mm

Square Steel / Aluminium / Wood / Pipe Rod & pipe polishing machine



RAJHANS ABRASIVES



Power	2.2kw*4 Motors
Conveyor Motors	0.37kw
Swing Motor	0.37kw
Processing Size	Width within 13cm, Thickness within 10cm, Length exceeding 30cm
Wheel Diameter	150 * 150 * 25.4
Inner Hole	25.4
Size:	1700 * 950* 1700
Weight	300kg

C type flange polishing machine

Model: XN-150



RAJHANS ABRASIVES



Maximum Processing Diameter	150mm
Minimum Processing Diameter	5mm
Processing Length	4-100mm
Input Voltage	380V
Total Power	3.7KW
Machine Weight	400KG
Polishing Wheel Size	40 × 32 × 250

Manual Belt Sander Polishing Machine



RAJHANS ABRASIVES



Model	WKR-ST04	Speed	0-35 m/s
Abrasive belt dimensions	2100*50 mm	Spindle rotational speed	The highest 2900 rpm
Abrasive belt motor power	4.0kw	Packing size	90*60*60cm
Main motor wheel size	220*50mm(Diameter*Thickness)	Weight	96kg
Rubber wheel size	300*50mm(Diameter*Thickness)	Packaging method	Plywood
Deflection adjusting aluminum wheel	100mm		



Tweezer edge polishing machine



RAJHANS ABRASIVES



Volts	380/450V
Motor Power	1.5kW
Phase	3 Phase
Abrasives Belt Size	1600*50



Belt & Disc Sander - Belt Sanding Machine

RAJHANS ABRASIVES



Rated Voltage	110-240V	Application	For Wood, Metal Jade & Plastic
Rated Input Power	370W		
No-Load Speed	2850rpm	weight	16.5kg
Power Source	Electric	Disc paper size	150mm
Frequency	50HZ	Belt paper and disc paper girt	80#
Sand Pad Size	100*915mm	Base material	Cast iron



PRODUCT DESCRIPTION

WENDING ALL WIN MOTORS MANUFACTURING CO. LTD.

Adjustable Belt

Tilt the belt from a horizontal to a vertical position depending on the needs of your project



Spacious Table With Miter Gauge

The sanding disc is accompanied by a support table equipped with 0 to 45° beveling capabilities and a removable miter gauge



Dividing Plate



Miter Gauge

120mm X 100mm WIRE DRAWING POLISHER BURNISHING MACHINE



RAJHANS ABRASIVES



Rated Voltage	220v - 50/60Hz
Input Power	2100W
No-Load Speed	0-3600 RPM
Diameter Dia.	Ø 120mm



Metal, Steel, Copper, Aluminum & Plates Polishing



Wood Polishing



ANGEL GRINDER PIPE POLISHING MACHINE



RAJHANS ABRASIVES

Usage

Stainless Steel Pipe, Wood Pipe,
Copper Pipe, Titanium Pipe



Voltage	220V
Frequency	60Hz
no-load speed	0-3500 RPM
rated input power	1400W





Machines

Spares & Accessories



Nylon Wheel Size: 250*80*32mm				Tapper cloth wheel Size: 250*80*32mm
Hard Cloth Wheel 250*80*32mm				Soft Cloth Wheel Size: 250*80*32mm
Yellow rubber roller Size: 1100*780*30mm				Bend Pipe Plastic Gear
Bend Pipe Aluminium Knurling				Bend Pipe Rubber Wheel
Bend Pipe Foot Pedal Switch				80mm Machine Rotary Motor
220mm Machine Rotary Motor				150mm Rubber Wheel Size: 120*150*25
150mm Belt Holder Size: 120*65*16mm				150mm Conveyor Motor Reducer
Conveyor Belts				Abrasives Belts
Dust Collector				Abrasives Brushes

Our other Abrasives Products



Cotact us:

Office:

B3, 1st Floor, Vikas Udyog, nr. Oxygen bottle godown,
behind Church, Bhayandar, Vikas Industrial Estate,
Bhayandar East, Mumbai, Mira Bhayandar,
Maharashtra 401105
Contact No. +91 98923 48564 / +91 72083 99227
Email: ajabrasives@yahoo.com



www.ajabrasives.com

Factory:

Gala no.D7, Shri Ganesh Industrial Estate, Behind Sagar Hotel,
Kaman, Vasai East - 401208
Contact No. +91 7506956555 / +91 7666744498 / +91 98923 48564
Email: ajabrasives@yahoo.com

Wholesale Shop:

163, narayan Dhuru Street, Ground Floor, Nagdevi Market,
Mumbai - 4000 003.
Contact No. +91 97023 48564 / +91 98923 48564
Email: rajhansabrasives@yahoo.com



To be Added

To be Added

Nut bolt polishing machine



To be Added

C Flange Polishing Machine



To be Added